



Ing. Martin Lukáš




Diamant Unipool, s.r.o. has grown from a small family business into a leading technological company in the swimming pool industry over the course of 30 years of improvement and constant innovation. Since its inception, the company has successfully completed more than 25,000 projects, making it one of the leading pool manufacturers in Europe. In recent years, the company has experienced dynamic growth, significantly expanding not only its product portfolio but also its territorial coverage.

Our products are synonymous with modern design and first-class quality. We continuously expand both our production facilities and the technological base on which we develop our product lines.

We are fully aware that it is you, our customers, who allow us to do the work we enjoy and find fulfilling. That is why customer satisfaction and the good reputation of Diamant Unipool, s.r.o. are our primary goals.

HISTORY




YEARS' PRODUCTION EXPERIENCE

7 THOUSAND M² PRODUCTION 20 EU MARKETS 10 YEAR WARRANTY 25 THOUSAND SATISFIED CUSTOMERS

DIAMANT POOL ENCLOSURES

Get the most out of your pool. More efficient, less expensive, and with no need to conform to the weather. Our wide range of shapes and colour options will ensure that the enclosure blends in with your garden.



WATER QUALITY

Prevents water fouling, protects against dust, leaves, and insects.

SAFETY

Prevents children or pets from falling into the pool.

ENERGY SAVING

Reduces costs of water heating, prevents heat loss, helps to effectively heat the water - the "greenhouse effect".

SEASON EXTENSION

Prolongs the bathing season by several months and allows the use of the pool even in bad weather.

AESTHETICS

A wide range of shapes and colour options of profiles and panelling.

MODELS AND DIAMANT ENCLOSURE DIMENSIONS

The individual enclosure models can be manufactured with the following segment dimensions:

GLASS POOL ENCLOSURE

POLYCARBONATE POOL ENCLOSURE





width: 240–540 cm height: 15–60 cm *

PRESTIGEline



width: 250–525 cm height: 25–120 cm *

COMFORTline



LINIE width: 250–500 cm height: 45–120 cm *



SYMFONIE PLUS width: 300–500 cm height: 75–120 cm *, max. 190 cm **



SYMFONIE width: 300–525 cm height: 75–120 cm *



PRAKTIK width: 250–500 cm height: 80–190 cm *

^{*}The maximum enclosure dimensions are indicative only, they depend on the number of segments and panelling material. We will gladly provide you with specific options upon request.

**The maximum possible height of the first segment is 190 cm, depending on the width of the segment.

SKYline

The ultra-low and super-flat enclosure with tempered extra-clear 4 mm glass and no visible frame on top will surprise with its functionality and easy handling. Emphasis has been placed on stylish design, top quality of all details and smart features. This extremely compact, modern and high-quality pool enclosure will guarantee a long service life and a luxurious appearance.







FRAME COLOUR



metallic grey


PANELLING



glass ESG 4 mm



bronze glass ESG 4 mm



grey glass ESG 4 mm

WALL FILLING



metallic grey



stainless steel polished



SKYline - ADVANTAGES

- ▶ super-flat, modern and minimalist design: for a luxurious appearance
- ▶ clear view: a crystal-clear pool view with extra-clear real glass
- ▶ easy maintenance: easy to clean and scratch-resistant
- ▶ long lifespan: built for a prolonged service life







SINGLE RAIL MOVEMENT*

Movement is guaranteed by the wheels, with an ultra-slim 65 mm rail on one side guiding them for effortless movement. An embedded version is also available for seamless terrain integration.

LONG-LASTING QUALITY PRESERVED

High resistance to scratching, mechanical damage and maximum resistance to hail and other extreme weather conditions are key aspects for choosing this pool enclosure.

EXCLUSIVE ELECTRIC DRIVE

SKYline offers an electric upgrade with a smart remote control, guaranteeing optimal segment sliding. It includes automatic locking and safety stops for maximum safety, enabling effortless electrical sliding of all segments with the touch of a button.



FRONT VENTILATION

The front ventilation system features a practical hinged front on the larger segment, ensuring essential air circulation. It facilitates controlled airflow through the enclosure's front, maintaining a comfortable indoor environment.

EMPHASIS ON DESIGN

The solid frame made of thick-walled aluminum profiles in a modern metallic gray color is hidden under a uniquely clear glass with an elegant black edging.

SIMPLE MAINTENANCE, LOW OPERATING COSTS

SKYline's smooth, durable surfaces simplify maintenance and cleaning. Segment separation allows easy access and cleaning, ensuring it's always in top condition for use.

PRESTIGEline

We have designed this polycarbonate pool enclosure to meet today's needs, particularly aligning with contemporary architectural trends. Both the form and the materials contribute to a luxurious, minimalistic style. The system features a single rail on one side, allowing barrier-free access to the pool from 3 sides with minimal effort, thanks to its resilient and stable construction.







FRAME COLOUR



silver powder coated RAL 9006



anthracite powder coated RAL 7016



metallic grey

PANELLING



transparent solid polycarbonate 4/6 mm




smoked solid polycarbonate 4 mm



solid grey polycarbonate 4 mm

The polycarbonate is always equipped with a double stabilisation against UV radiation.



PRESTIGEline - ADVANTAGES

- ▶ modern and sophisticated design
- ▶ single-rail sliding
- ▶ high-level stability
- ▶ easy operation







SINGLE-RAIL SLIDING *

The system is equipped with a single rail on one side which allows barrierfree access to the pool from 3 sides with minimal effort thanks to the substantial and stable construction.

SUPERIOR CONSTRUCTION STRENGTH

The combination of thick-walled profiles and polycarbonate panelling (4-6 mm) ensures a high level of stability.

EASY OPERATION

Thanks to its substantial and stable construction and single-rail system, you may operate our enclosure with minimum effort. It's also possible to install an electric motor with a convenient remote control.



FRONT VENTILATION

The practical low-maintenance front ventilation will ensure the necessary air circulation while maintaining safe entry into the pool.

LOCKABLE CATCH

The lockable catch increases the safety of the pool and keeps it protected even against extreme wind.

COLLECTOR OF INDIVIDUAL SEGMENTS

Our enclosure segments are telescopic. It is only necessary to manually unlock the outermost segment when extending or retracting the enclosure. Therefore, the operation of the enclosure is much easier and faster.

COMFORTline

The COMFORTline series offers a wide range of classic models from which you can choose according to your needs.

The panelling of the entire enclosure is made out of material from the world's leading manufacturer of extruded sheets, the Swedish company Arla Plast.





LINIE

SYMFONIE PLUS





SYMFONIE

PRAKTIK

FRAME COLOUR



silver powder coated RAL 9006



anthracite powder coated RAL 7016



anodised champagne

PANELLING



transparent unicameral polycarbonate 10 mm




smoked unicameral polycarbonate 10 mm



transparent solid polycarbonate 4 mm



smoked solid polycarbonate 4 mm



solid grey polycarbonate 4 mm

The polycarbonate is always equipped with a double stabilisation against UV radiation.



CATCH AND COLLECTOR SYSTEM

- fast and easy maintenance telescopic enclosure system facilitates easy movement of segments
- ▶ an extremely stable and durable system
- maximum flexibility and comfort after releasing the collectors, the segments can move in both directions independently





STAINLESS STEEL CATCHES

The Diamant COMFORTline enclosure is now delivered with high-quality stainless steel catches as standard.



TELESCOPIC COVER SYSTEM

An exclusive solution, unique to Diamant: To move all cover segments, simply release the catches of the outermost segments.



LOCKABLE AND COMPLETELY SAFE

The whole system can also be ordered in a lockable version. This option increases safety and protects the pool.

CONTINUOUS ACCESSIBLE SLIDING RAILS

EFFORTLESS EXTENSION AND RETRACTION

The sliding tracks and system are designed with minimal resistance, ensuring smooth handling of the enclosure.

LOWER THAN 15 mm


The flat profile of the accessible rail does not obstruct pool use when the enclosure is retracted.


ANTI-SLIP SURFACE

The top surface of the sliding rail is equipped with anti-slip grating for enhanced safety.


ANODISED ALUMINIUM IN COLOUR OF ENCLOSURE

Available in silver anodised aluminium and champagne anodised aluminium.





♥ COMFORTline **LINIE**



MAXIMUM EMPHASIS ON DESIGN

The lowest possible shapes of the COMFORTline enclosure with transparent glass edges will ensure an unimpeded view of the pool surroundings.














COMFORTline **SYMFONIE**



LOW BUT FUNCTIONAL

This discreet enclosure is designed to seamlessly integrate with the existing architectural balance of your garden and pool area, while still offering all the benefits of an enclosed pool.

COMFORTline **SYMFONIE PLUS**



PRACTICAL CHOICE

If you can't decide, choose a combination of a higher Diamant Praktik enclosure and low Diamant Symfonie model.













COMFORTline **PRAKTIK**



TRUE CLASSIC

Simplicity and great strength are the hallmarks of this classic type of enclosure.

Its robust design makes it suitable for even heavy snow weather conditions. Additionally, this high-profile enclosure can also be adapted to create a covered living area, enhancing its versatility and functionality.









Belfox electric drive

ELECTRIC DRIVE WITH REMOTE CONTROL



Our electric drive system with smart remote control can be added to any manual pool enclosure.

MAXIMUM QUALITY

The electric drive ensures smooth and precise retraction of individual segments.

MAXIMUM SAFETY

Segments automatically lock during operation, and the system includes a safety stop feature to prevent obstruction-related issues.

MAXIMUM COMFORT

Operate all segments effortlessly with a single click of your remote control.

ENTRIES AND TILTING DOORS

You can choose your enclosure entry according to your own expectations. Enclosure entry options:

SKYline



front ventilation door

PRESTIGEline




side sliding door




front ventilation door (standard model)

COMFORTline



side sliding door



front hinged door



partially tilting door



tilting threshold





Diamant Unipool s.r.o. | www.diamant-unipool.eu | info@diamant-unipool.eu



CZECH REPUBLIC DIAMANT UNI POOL s. r. o. VALAŠSKÉ MEZIŘÍČÍ

Bynina 186, 757 01 Valašské Meziříčí T: +420 571 752 111 E-mail: info@bazenydiamant.cz

CZECH REPUBLIC DIAMANT UNI POOL, s. r. o. PRAHA

Okružní 1118, 250 81 Nehvizdy M: +420 603 532 642 E-mail: praha@bazenydiamant.cz

AUSTRIA DIAMANT UNIPOOL GmbH

Linzer Strasse 45 A-3002 Purkersdorf T: +43 2231 62823 E-mail: info@diamant-unipool.at

GERMANY DIAMANT UNIPOOL GmbH

Dreieichstraße 10 64546 Mörfelden-Walldorf T: +49 (0) 6105 9938986 E-mail: info@diamant-unipool.de

POLAND DIAMANT UNIPOOL sp. z o. o.

Ul. Księdza Franciszka Maja 40 30-499 Kraków T: +48 792 539 927 E-mail: info@baseny-diamant.pl

SLOVAKIA DIAMANT UNIPOOL s.r.o.

Talihov Dvor 3 902 01 Pezinok T: +421 33 641 3374 E-mail: pezinok@bazenydiamant.sk